Artifacts® with Tea design | K-72758

Bathroom sink faucet spout with Tea design, 1.2 gpm

Features

- Metal pop-up drain with tailpiece
- Includes stationary spout with aerator and pop-up drain with 1-1/4" tailpiece
- Handles sold separately
- Laminar flow
- 1.2 gpm (4.5 lpm) maximum flow rate
- Coordinate with your choice of Artifacts handles for a personalized design
- This product can help a building earn Water Efficiency points in LEED® Green Building Rating System



Sustainability

DISCONTINUED

1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-18-2026 14:10 - US-CA

Codes/Standards

ASME A112.18.1/CSA B125.1
NSF/ANSI/CAN 372
NSF/ANSI/CAN 61
DOE - Energy Policy Act 1992
EPA WaterSense®
California Energy Commission (CEC)

Technical Information

All product dimensions are nominal.

Spout

Spout Reach: 5-3/8" (137 mm)

Flow Rate

Faucet Flow Rate: 1.2 gpm (4.5 l/min)

Valves

Required Valve: Thermostatic Mixer

Material

- Brass
- KOHLER finishes resist corrosion and tarnishing

Recommended Products/Accessories

- K-23726 Drain treatment
- K-23723 Faucet cleaner
- K-72567 18" towel bar
- K-72568 24" towel bar
- K-72570 24" double towel bar
- K-72573 Pivoting toilet paper holder
- K-72571 Towel ring
- K-72572 Double robe hook
- K-72576 Toilet paper carriage

Required Products/Accessories

- K-98068-4 Lever bathroom sink faucet handles

or

- K-98068-3 Cross bathroom sink faucet handles

Warranty


See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty

DISCONTINUED

1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-18-2026 14:10 - US-CA

THE BOLD LOOK OF KOHLER.



DISCONTINUED

Installation

- Widespread

Installation Notes

Install this product according to the installation instructions.

1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-18-2026 14:10 - US-CA

THE BOLD LOOK OF KOHLER